



DISHING MACHINES TECHNICAL SPECIFICATION SERIES PCF AND MANIPULATOR MFB

| SERIES | MODELL | MAX FORCE ton | MAX BLAN DIAMETER mm | FAST SPEED m/min | WORKING SPEED cm/min | FIXED LOWER DIE HOLDER | MOBILE UPPER DIE HOLDER | DISTAANCE BETWEEN UPRIGHTS | PISTON STROKE mm | WEIGHT KG | KW |
|--------|----------|---------------|----------------------|------------------|----------------------|------------------------|-------------------------|----------------------------|------------------|-----------|----|
| PCF | 200x2000 | 200 | 2000 | 9 | 110 | 750x750 | 750x500 | 2200 | 400 | 12700 | 20 |
| PCF | 200x3000 | 200 | 3000 | 9 | 110 | 750x750 | 750x500 | 3200 | 400 | 15000 | 20 |
| PCF | 200x4000 | 200 | 4000 | 9 | 110 | 750x750 | 750x500 | 4200 | 400 | 18500 | 20 |
| PCF | 300x2000 | 300 | 2000 | 9 | 110 | 850x850 | 800x550 | 2200 | 500 | 19500 | 31 |
| PCF | 300x3000 | 300 | 3000 | 9 | 110 | 850x850 | 800x550 | 3200 | 500 | 23000 | 31 |
| PCF | 300x4000 | 300 | 4000 | 9 | 110 | 850x850 | 800x550 | 4200 | 500 | 26000 | 31 |
| PCF | 300x5000 | 300 | 5000 | 9 | 110 | 850x850 | 800x550 | 5200 | 500 | 29500 | 31 |
| PCF | 300x6000 | 300 | 6000 | 9 | 110 | 850x850 | 800x550 | 6200 | 500 | 33500 | 31 |
| PCF | 400x3000 | 400 | 3000 | 9 | 110 | 1000x1000 | 850x600 | 3200 | 600 | 30000 | 38 |
| PCF | 400x4000 | 400 | 4000 | 9 | 110 | 1000x1000 | 850x600 | 4200 | 600 | 35000 | 38 |
| PCF | 400x5000 | 400 | 5000 | 9 | 110 | 1000x1000 | 850x600 | 5200 | 600 | 39500 | 38 |
| PCF | 400x6000 | 400 | 6000 | 9 | 110 | 1000x1000 | 850x600 | 6200 | 600 | 45000 | 38 |
| PCF | 600x4000 | 600 | 4000 | 9 | 110 | 1100x1100 | 950x750 | 4200 | 700 | 54000 | 58 |
| PCF | 600x5000 | 600 | 5000 | 9 | 110 | 1100x1100 | 950x750 | 5200 | 700 | 58500 | 58 |
| PCF | 600x6000 | 600 | 6000 | 9 | 110 | 1100x1100 | 950x750 | 6200 | 700 | 63000 | 58 |
| PCF | 600x7000 | 600 | 7000 | 9 | 110 | 1100x1100 | 950x750 | 7200 | 700 | 69000 | 58 |
| PCF | 600x8000 | 600 | 8000 | 9 | 110 | 1100x1100 | 950x750 | 8200 | 700 | 75000 | 58 |
| PCF | 800x4000 | 800 | 4000 | 9 | 110 | 1200x1200 | 1000x800 | 4200 | 1000 | 70000 | 74 |

| SERIES | MODELL | MAX FORCE ton | MAX BLAN DIAMETER mm | FAST SPEED m/min | WORKING SPEED cm/min | FIXED LOWER DIE HOLDER | MOBILE UPPER DIE HOLDER | DISTAANCE BETWEEN UPRIGHTS | PISTON STROKE mm | WEIGHT KG | KW |
|--------|-----------|---------------|----------------------|------------------|----------------------|------------------------|-------------------------|----------------------------|------------------|-----------|-----|
| PCF | 800x5000 | 800 | 5000 | 9 | 110 | 1200x1200 | 1000x800 | 5200 | 1000 | 79000 | 74 |
| PCF | 800x6000 | 800 | 6000 | 9 | 110 | 1200x1200 | 1000x800 | 6200 | 1000 | 84000 | 74 |
| PCF | 800x7000 | 800 | 7000 | 9 | 110 | 1200x1200 | 1000x800 | 7200 | 1000 | 93500 | 74 |
| PCF | 800x8000 | 800 | 8000 | 9 | 110 | 1200x1200 | 1000x800 | 8200 | 1000 | 102000 | 74 |
| PCF | 800x9000 | 800 | 8000 | 9 | 110 | 1200x1200 | 1000x800 | 9200 | 1000 | 110000 | 74 |
| PCF | 1000x5000 | 1000 | 5000 | 9 | 110 | 1400x1400 | 1100x900 | 5200 | 1000 | 87500 | 110 |
| PCF | 1000x6000 | 1000 | 6000 | 9 | 110 | 1400x1400 | 1100x900 | 6200 | 1000 | 98000 | 110 |
| PCF | 1000x7000 | 1000 | 7000 | 9 | 110 | 1400x1400 | 1100x900 | 7200 | 1000 | 105000 | 110 |
| PCF | 1000x8000 | 1000 | 8000 | 9 | 110 | 1400x1400 | 1100x900 | 8200 | 1000 | 112000 | 110 |
| PCF | 1000x9000 | 1000 | 9000 | 9 | 110 | 1400x1400 | 1100x900 | 9200 | 1000 | 132000 | 110 |
| PCF | 1500x5000 | 1500 | 5000 | 9 | 110 | 1600x1600 | 1200x1000 | 5200 | 1200 | 118500 | 150 |
| PCF | 1500x6000 | 1500 | 6000 | 9 | 110 | 1600x1600 | 1200x1000 | 6200 | 1200 | 126000 | 150 |
| PCF | 1500x7000 | 1500 | 7000 | 9 | 110 | 1600x1600 | 1200x1000 | 7200 | 1200 | 140250 | 150 |
| PCF | 1500x8000 | 1500 | 8000 | 9 | 110 | 1600x1600 | 1200x1000 | 8200 | 1200 | 153000 | 150 |
| PCF | 1500x9000 | 1500 | 9000 | 9 | 110 | 1600x1600 | 1200x1000 | 9200 | 1200 | 162000 | 150 |
| PCF | 2000x5000 | 2000 | 5000 | 9 | 110 | 1900x1900 | 1400x1200 | 5200 | 1300 | 142000 | 190 |
| PCF | 2000x6000 | 2000 | 6000 | 9 | 110 | 1900x1900 | 1400x1200 | 6200 | 1300 | 151200 | 190 |
| PCF | 2000x7000 | 2000 | 7000 | 9 | 110 | 1900x1900 | 1400x1200 | 7200 | 1300 | 168300 | 190 |
| PCF | 2000x8000 | 2000 | 8000 | 9 | 110 | 1900x1900 | 1400x1200 | 8200 | 1300 | 183600 | 190 |
| PCF | 2000x9000 | 2000 | 9000 | 9 | 110 | 1900x1900 | 1400x1200 | 9200 | 1300 | 198000 | 190 |

The suitable data in the chart are indicative not bound. According to specific Customer request, 1960 Seravesi will suggest the right combination of press and manipulator

1960Seravesi srl maintains continuously a politic improvement, therefore we reserve the right to bring changes to satisfy your application

| SERIES | MODELL | COMBINED AUTOMATIC MANIPULATOR SERIES | MODELL | MAX LOAD Kg | MIN BLANC DIAMETER mm | Kw |
|--------|-----------|--|--------|----------------|--------------------------|----|
| PCF | 200x2000 | MFB | 1,5 T | 1500 | 800 | 10 |
| PCF | 200x3000 | MFB | 1,5 T | 1500 | 800 | 10 |
| PCF | 200x4000 | MFB | 1,5 T | 1500 | 800 | 10 |
| PCF | 300x2000 | MFB | 3 T | 3000 | 1200 | 14 |
| PCF | 300x3000 | MFB | 3 T | 3000 | 1200 | 14 |
| PCF | 300x4000 | MFB | 3 T | 3000 | 1200 | 14 |
| PCF | 300x5000 | MFB | 3 T | 3000 | 1200 | 14 |
| PCF | 300x6000 | MFB | 3 T | 3000 | 1200 | 14 |
| PCF | 400x3000 | MFB | 5 T | 5000 | 1500 | 20 |
| PCF | 400x4000 | MFB | 5 T | 5000 | 1500 | 20 |
| PCF | 400x5000 | MFB | 5 T | 5000 | 1500 | 20 |
| PCF | 400x6000 | MFB | 5 T | 5000 | 1500 | 20 |
| PCF | 600x4000 | MFB | 7 T | 7000 | 1700 | 26 |
| PCF | 600x5000 | MFB | 7 T | 7000 | 1700 | 26 |
| PCF | 600x6000 | MFB | 7 T | 7000 | 1700 | 26 |
| PCF | 600x7000 | MFB | 7 T | 7000 | 1700 | 26 |
| PCF | 600x8000 | MFB | 7 T | 7000 | 1700 | 26 |
| PCF | 800x4000 | MFB | 10 T | 10000 | 1800 | 34 |
| PCF | 800x5000 | MFB | 10 T | 10000 | 1800 | 34 |
| PCF | 800x6000 | MFB | 10 T | 10000 | 1800 | 34 |
| PCF | 800x7000 | MFB | 10 T | 10000 | 1800 | 34 |
| PCF | 800x8000 | MFB | 10 T | 10000 | 1800 | 34 |
| PCF | 800x9000 | MFB | 10 T | 10000 | 1800 | 34 |
| PCF | 1000x5000 | MFB | 12 T | 12000 | 1800 | 40 |

| SERIES | MODELL | COMBINED AUTOMATIC MANIPULATOR SERIES | MODELL | MAX LOAD Kg | MIN BLANC DIAMETER mm | Kw |
|--------|-----------|--|--------|----------------|--------------------------|----|
| PCF | 1000x6000 | MFB | 12 T | 12000 | 1800 | 40 |
| PCF | 1000x7000 | MFB | 12 T | 12000 | 1800 | 40 |
| PCF | 1000x8000 | MFB | 12 T | 12000 | 1800 | 40 |
| PCF | 1000x9000 | MFB | 12 T | 12000 | 1800 | 40 |
| PCF | 1500x5000 | MFB | 16 T | 16000 | 1800 | 52 |
| PCF | 1500x6000 | MFB | 16 T | 16000 | 1800 | 52 |
| PCF | 1500x7000 | MFB | 16 T | 16000 | 1800 | 52 |
| PCF | 1500x8000 | MFB | 16 T | 16000 | 1800 | 52 |
| PCF | 1500x9000 | MFB | 16 T | 16000 | 1800 | 52 |
| PCF | 2000x5000 | MFB | 20 T | 20000 | 2000 | 65 |
| PCF | 2000x6000 | MFB | 20 T | 20000 | 2000 | 65 |
| PCF | 2000x7000 | MFB | 20 T | 20000 | 2000 | 65 |
| PCF | 2000x8000 | MFB | 20 T | 20000 | 2000 | 65 |
| PCF | 2000x9000 | MFB | 20 T | 20000 | 2000 | 65 |